ANCHORAGE WATER & WASTEWATER UTILITY

Operations Division
325 East 94th Court
Anchorage, Alaska 99515-2111
Telephone: (907) 267-4505

Tom Fink,
Mayor

Owned by the Municipality
of Anchorage

January 6, 1992

Mr. Robert S. Burd, Director
Water Division, WD 131
U. S. EPA, Region 10
1200 Sixth Avenue
Seattle, Washington 98101

Re: Anchorage Pt. Woronzof Monitoring Program
NPDES Permit AK-002255-1
ODES Data Submittal

Dear Mr. Burd:

As required by our NPDES permit, please find enclosed the Pt. Woronzof ODES data for 1991 monitoring year. This submission includes in-plant influent, effluent, and sludge data for the period of October, 1990 through September, 1991. Receiving water data are not included in this submission. The ODES data are encoded on IBM PC-compatible hard diskettes.

Please contact me with any questions or comments regarding this submittal. Thank you.

Sincerely,

Robert L. LeVar

Robert LeVar
Water Treatment Superintendent
Operations Division, AWWU

Enclosures

cc w/o encl.: Jan Hastings, ODES Coordinator
Greg Kellogg, Chief, Compliance Section
Robert Dolan, Environmental Engineer

[wwmah]2

DESCRIPTION OF INFLUENT/EFFLUENT DATA SUBMITTED TO ODES

Because of the many types and sources of data that may be added to ODES, it is of great value for users to know the goals and techniques of each sampling program. Much of this information, so valuable for interpretation of data, is not inherent in the data itself; it can only be supplied in narrative form. Each data submitter is therefore requested to provide a descriptive overview of the sampling program. The following questions are intended to indicate the important issues which affect a data set's use and it's comparability to other data sets. The information supplied in response to these questions will help all ODES users choose data appropriate for their purposes. Answers for the following questions are requested for each influent/effluent file submitted for addition to ODES. Please attach extra pages, as necessary. If the requested information is available in annual or quarterly monitoring reports, these may also be submitted.

Data Set ID#: MOA90_Q4.DAT
MOA91_Q1.DAT
MOA91_Q2.DAT
MOA91_Q3.DAT

File Type: 144E

Submitter: Kinnetic Laboratories, Inc.

Please give the name of an individual who can be contacted for additional information concerning this data set:

Mark A. Savoie (Name)

Kinnetic Laboratories, Inc. (Organization)

403 West 8th Avenue (Address)

Anchorage, Alaska 99501-3515

Telephone: (907) 276-6178

1. If you have utilized the Series identification field to define subsets of your data, please provide a description of the code used and its definition. If more than one Series ID was used, provide information for all codes.

   The Series identification field was not used.

2. Please describe the goals of the sampling program.

The objective of influent, effluent, and sludge monitoring is to characterize the nature and concentrations of pollutants in wastewater and treated wastewater, thereby providing data for monitoring plant performance.

3. Please describe the equipment and techniques used for sample collection, in particular, the use of composite and grab samples for particular types of analyses is important to note. Please confirm the frequency and duration of composite sample collection.

24 hour flow composite samples (Sanford Model TC-2 Autosampler) were taken for daily influent and effluent analyses performed by the Point Woronzof laboratory. Beginning 1 January, 1991, a portable autosampler positioned adjacent to the influent line was used for sampling. This unit was replaced by an ISCO Model 3700 FR autosampler near the same location as the portable autosampler on 1 August 1991. Daily sludge analyses were performed on a composite of three grab samples of dewatered sludge taken every 8 hours.

Analyses for the Summer-dry and Summer-wet sampling were performed on composite samples consisting of 48 one-half hour grab samples of influent and effluent water, and composites of 3 grab samples of dewatered sludge taken every 8 hours.

4. How were samples handled during transportation and storage?

Samples were refrigerated prior to shipping. Samples were shipped to analytical laboratories in coolers with ice packs. Chain of custody forms were utilized for all samples. Adherance to holding times was observed.

5. Were field and transport blanks collected and analyzed?

Field sample blanks were not appropriate to the study and were therefore not utilized. Trip blanks were not used.

6. What component of the sample was analyzed, i.e., whole water, dissolved fraction, or suspended particulate? If whole water was fractioned into suspended and dissolved parts, what filter size was used?

Whole water samples were analyzed.

7. Please provide the following information on analytical techniques for each class of chemical compounds. (Please attach on a separate sheet).

Analyte	Sample Size	Container Type and Preparation	Sample Preservation	Holding Time Range	Method	Instrumentation	Detection Limits

This data is already incorporated in the ODES data set for each chemical compound. For further information please consult Table 3 and Appendices A,B, and E of the Monitoring Program Annual Report.

8. Please provide the following information on the frequency of laboratory quality control checks and provide a copy of the results of any such analyses. (Please attach information on a separate sheet)

Analyte	No. of Samples	No. of Duplicates	No. of Blanks	Matrix Spike			Analytical Standards	
				Number	Material	Amount	Number	Material Used

This information may be found in the Quality Assurance Manuals and Statement of Qualifications of the analytical laboratories used in this monitoring program. This material was mailed to Tetra Tech on 11 June 1991. For further information please consult Appendices A, B, and E of the Monitoring Program Annual Report.

9. If results submitted to ODES have been corrected for blanks or recovery response, please describe the manner in which this has been done.

Concentrations of metals, cyanide, total residual chlorine, and oil and grease, monitored monthly by the Point Woronzof laboratory, and some of the metals measured by ToxScan Inc. have been background subtracted (subtraction of method blank).

Blank and recovery response data are contained in sets beginning with the 'Z' record type. 'F' record fields 84-86, 87-89, and 90-92 are used to tie sample data to method blank, surrogate, spike, and duplicate quality assurance data.

10. Please describe any features of this data set which may affect its use to generally characterize environmental data.

1) All monthly data, except for metals and cyanide, consists of monthly averages for measurements of all parameters. Values were obtained from the AWWP

Monthly Monitoring Reports. pH is a numerical average of daily values. Metals were measured once monthly on the following dates:

11 October 1990
13 November 1990
10 December 1990
16 January 1991
18 February 1991
17 March 1991
6 April 1991
6 May 1991
3 June 1991
12 July 1991
12 August 1991
16 September 1991

2) The December sludge cyanide value is an average of two values taken in December. The cyanide measurement for November was out of range.

3) The January effluent cyanide was judged invalid, an extra was run in February.

4) The June samples for pesticides, oil and grease, and BTEX run by ToxScan exceeded their holding times, and therefore these parameters were resampled in September.

5) Please find attached data sheets from Anametrix, Inc., listing "Tentatively Identified Compounds". Compounds that could be readily given a code in ODES were included in this data submission, and have "ADDED" written beside them, all others were not included in the data set.

6) Please also find 2 sheets from ToxScan with metal QA/QC data.

11. Please describe the quality assurance/quality control procedures used to verify the correct coding and entry of data.

Monthly monitoring data was double-keypunched and verified. Data for the June, August, and the September resampling of Summer-dry/Summer-wet was double-checked against laboratory data sheets.

12. If any other types of data were collected concurrently which have been or will be added to ODES, please indicate the appropriate ODES file type(s).

File types AN144W and AN009 are forthcoming.

13. In what report or document can the raw data be found? How could an individual obtain a copy of the raw data?

Monitoring Program Annual Report, November 1989 - October 1990, Anchorage Water and Wastewater Utility, Point Woronzof Wastewater Treatment Facility.

Monitoring Program Annual Report, November 1990 - October 1991, Anchorage Water and Wastewater Utility, Point Woronzof Wastewater Treatment Facility.

ToxScan Inc.

42 Hangar Way
Watsonville, CA 95076

(408) 724-4522

FAX (408) 724-3188

QA\QC FOR PROJECT # 7929 and 7781

ELEMENT	% RECOVERY OF SPIKE	AMOUNT OF SPIKE mg/l	SAMPLE SPIKED
ANTIMONY	72	1.00	91-EFL-7
BERYLLIUM	91	1.00	91-EFL-7
THALLIUM	71	1.00	91-EFL-7

Environmental Resource Associates WasteWatR
Quality Control Standard Reference, Lot No. 9938

	Certified Value mg/l	Value found mg/l	% Recovery
ANTIMONY	0.108	0.103	95
BERYLLIUM	0.097	0.104	107
THALLIUM	0.095	0.094	99

Philip D. Carpenter
Laboratory Director

ENVIRONMENTAL
RESOURCE ASSOCIATES
Arvada, Colorado 80002 1-800-ERA-0122

Certification

WasteWatR™ Quality Control Standards

LOT NO. 9938

Parameter	Certified Value[1]		Advisory Range[2]	
MINERALS WasteWatR™	mg/l		mg/l	
total solids at 105°C	902		785-1020	
dissolved solids at 180°C	902		785-1020	
conductivity at 25°C	1050	micromhos	892-1210	micromhos
alkalinity	203		180-225	
chloride	95.4		88-102	
fluoride	3.53		3.0-4.1	
sulfate	138		119-157	
potassium	120		102-138	
sodium	156		132-179	
pH	9.1	S.U.	8.9-9.3	S.U.
HARDNESS WasteWatR™	mg/l		mg/l	
suspended solids at 105°C	39.4		33-45	
calcium	100		86-122	
magnesium	19.5		17-22	
hardness as $CaCO_3$	330		284-376	
GREASE & OIL WasteWatR™				
Gravimetric	44.2	mg/bottle	33-55	mg/bottle
Infrared	53.0	mg/bottle	39-66	mg/bottle
DEMAND WasteWatR™	mg/l		mg/l	
BOD	30.5		20-38	
COD	50.9		43-58	
TOC	19.8		17-23	
total phosphorus as P	4.41		3.8-5.1	
Kjeldahl nitrogen as N	2.19		1.8-2.6	
NUTRIENTS WasteWatR™	mg/l		mg/l	
ammonia as N	6.76		5.6-7.8	
nitrate plus nitrite as N	10.8		9.6-12	
phosphate as P	12.7		10-15	
	mg/l		mg/l	
CYANIDE WasteWatR™	0.453		0.33-0.58	
& PHENOL	0.181		0.14-0.22	
	mg/l		mg/l	
RESIDUAL CHLORINE WasteWatR™	1.18		0.88-1.4	
TRACE METALS WasteWatR™	µg/l		µg/l	
aluminum	418		343-493	
antimony	108		81-127	
arsenic	92.7		70-109	
barium	223		183-263	
beryllium	97.2		80-115	
boron	200		164-236	
cadmium	113		92-133	
chromium	141		115-166	
cobalt	212		174-250	
copper	115		94-136	
iron	327		268-386	
lead	170		139-201	
manganese	166		136-196	
mercury	1.94		1.4-2.4	
molybdenum	212		174-250	
nickel	175		144-206	
selenium	103		77-122	
silver	91.8		75-108	
strontium	249		204-294	
thallium	95.0		71-112	
vanadium	148		121-175	
zinc	234		192-276	

[1] Certified values are equal to 100% of each parameter in the indicated standard.

[2] Advisory ranges are listed as guidelines for acceptable recoveries given the limitations of the EPA methodologies commonly used to determine these parameters. The range closely approximates the 95% confidence interval for these parameters based upon the experimental data generated by ERA and data from the USEPA WP, WS and CLP interlaboratory performance evaluation programs.

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID :
Sample ID : BLANK
Matrix : WATER
Date Sampled : 0/ 0/ 0
Date Extracted : 6/28/91
Amount Extracted : 1000.0 mL
Date Analyzed : 6/29/91
Instrument ID : F2

Anametrix ID : 2CB0628C01
Analyst : LW
Supervisor : CH

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	14.	J
5.	123-79-5	HEXANEDIOIC ACID, DIOCTYL ES	0.	77.	J
6.	Also known as	ADIPIC ACID			
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-EFL-1
Matrix : WATER
Date Sampled : 6/25/91
Date Analyzed : 7/09/91
Instrument ID : MSD1

Anametrix ID : 9106298-02
Analyst : DP
Supervisor : [illegible]

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	622-96-8	BENZENE, 1-ETHYL-4-METHYL	0.	13.	J
2.	95-63-6	BENZENE, 1,2,4-TRIMETHYL	0.	13.	J
3.	108-67-8	BENZENE, 1,3,5-TRIMETHYL	0.	14.	J
4.	- -	UNKNOWN	0.	9.	J
5.					
6.					
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-EFL-1
Matrix : WATER
Date Sampled : 6/25/91
Date Extracted : 6/28/91
Amount Extracted : 800.0 mL
Date Analyzed : 6/30/91
Instrument ID : F2

Anametrix ID : 9106298-02
Analyst : LW
Supervisor : WH

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	100.	J
2.	- -	UNKNOWN	0.	300.	J
3.	105-60-2	CAPROLACTAM	0.	30.	J
4.	134-62-3	BENZAMIDE, N,N-DIETHYL-3-MET	0.	40.	J
5.	57-10-3	HEXADECANOIC ACID	0.	100.	J
6.	- -	UNKNOWN	0.	90.	J
7.	123-79-5	HEXANEDIOIC ACID, DIOCTYL ES	0.	400.	BJ
8.	- -	UNKNOWN	0.	100.	J
9.	80-99-9	CHOLEST-7-EN-3-OL, (3.BETA.,	0.	200.	J
10.	- -	UNKNOWN	0.	200.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-INF-1
Matrix : WATER
Date Sampled : 6/25/91
Date Analyzed : 7/09/91
Instrument ID : MSD1

Anametrix ID : 9106298-01
Analyst : DP
Supervisor : CH

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	622-96-8	BENZENE, 1-ETHYL-4-METHYL	0.	28.	J
2.	526-73-8	BENZENE, 1,2,3-TRIMETHYL	0.	27.	J
3.	611-14-3	BENZENE, 1-ETHYL-2-METHYL	0.	12.	J
4.	108-67-8	BENZENE, 1,3,5-TRIMETHYL	0.	27.	J
5.	5989-27-5	D-LIMONENE	0.	15.	J
6.	629-50-5	TRIDECANE	0.	15.	J
7.	1120-21-4	UNDECANE ✓	0.	10.	J
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-INF-1
Matrix : WATER
Date Sampled : 6/25/91
Date Extracted : 6/28/91
Amount Extracted : 770.0 mL
Date Analyzed : 6/30/91
Instrument ID : F2

Anametrix ID : 9106298-01
Analyst : LW
Supervisor : MH

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	100.	J
2.	10482-56-1	3-CYCLOHEXENE-1-METHANOL, .A	0.	100.	J
3.	544-63-8	TETRADECANOIC ACID ✓4 DECANOIC	0.	60.	J
4.	57-10-3	HEXADECANOIC ACID	0.	200.	J
5.	- -	UNKNOWN	0.	300.	J
6.	- -	UNKNOWN	0.	100.	J
7.	123-79-5	HEXANEDIOIC ACID, DIOCTYL ES	0.	100.	BJ
8.	- -	UNKNOWN	0.	100.	J
9.	- -	UNKNOWN	0.	100.	J
10.	80-99-9	CHOLEST-7-EN-3-OL, (3.BETA.,	0.	100.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-SLU-1
Matrix : SLUDGE
Date Sampled : 6/25/91
Date Analyzed : 7/09/91
Instrument ID : MSD1

Anametrix ID : 9106298-03
Analyst : DP
Supervisor : JH

Dilution Factor : 1.00
Conc. Units : ug/Kg

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	10.	J
2.	- -	UNKNOWN	0.	5.	J
3.	620-14-4	BENZENE, 1-ETHYL-3-METHYL	0.	32.	J
4.	526-75-0	OCTANE, 2,3,6-TRIMETHYL-	0.	100.	J
5.	108-67-8	BENZENE, 1,3,5-TRIMETHYL	0.	30.	J
6.	526-73-8	BENZENE, 1,2,3-TRIMETHYL	0.	35.	J
7.	5989-27-5	D-LIMONENE	0.	130.	J
8.	- -	UNKNOWN	0.	23.	J
9.	- -	UNKNOWN	0.	23.	J
10.	1120-21-4	UNDECANE	0.	57.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID :
Sample ID : BLANK
Matrix : SOIL
Date Sampled : 0/ 0/ 0
Date Extracted : 7/ 8/91
Amount Extracted : 30.0 g
Date Analyzed : 7/10/91
Instrument ID : F3

Anametrix ID : 3CB0708C01
Analyst : LN
Supervisor : LM

Dilution Factor : 1.00
Conc. Units : ug/Kg

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	600.	J
2.	- -	UNKNOWN	0.	4000.	J A
3.	- -	UNKNOWN	0.	300.	J
4.	- -	UNKNOWN	0.	200.	J
5.	123-79-5	HEXANEDIOIC ACID, DIOCTYL ES	0.	300.	J
6.					
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : MOA
Sample ID : 91-SLU-1
Matrix : SLUDGE
Date Sampled : 6/25/91
Date Extracted : 7/ 8/91
Amount Extracted : 30.0 g
Date Analyzed : 7/12/91
Instrument ID : F3

Anametrix ID : 9106298-03
Analyst : [illegible]
Supervisor : [illegible]

Dilution Factor : 5.00
Conc. Units : ug/Kg

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	142-62-1	HEXANOIC ACID (DOT)	0.	2000.	J
2.	103-82-2	BENZENEACETIC ACID	0.	3000.	J
3.	143-07-7	DODECANOIC ACID	0.	6000.	J
4.	544-63-8	TETRADECANOIC ACID	0.	20000.	J
5.	1002-84-2	PENTADECANOIC ACID	0.	4000.	J
6.	2091-29-4	9-HEXADECENOIC ACID	0.	4000.	J
7.	- -	UNKNOWN ACID	0.	10000.	J
8.	- -	UNKNOWN HYDROCARBON	0.	10000.	J
9.	57-11-4	OCTADECANOIC ACID	0.	10000.	J
10.	- -	UNKNOWN	0.	4000.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-SLU-5
Matrix : SLUDGE
Date Sampled : 8/ 8/91
Date Analyzed : 8/21/91
Instrument ID : MSD1

Anametrix ID : 9108097-05
Analyst : MS
Supervisor : PG

Dilution Factor : 50.00
Conc. Units : ug/Kg

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	52078-56-5	11-Tricosene	0.	2000.	J
2.	4923-77-7	Cyclohexane, 1-ethyl-2-methy	0.	900.	J
3.	696-29-7	Cyclohexane, (1-methylethyl)	0.	1000.	J
4.	611-14-3	Benzene, 1-ethyl-2-methyl-	0.	3000.	J
5.	- -0	Unknown hydrocarbon	0.	5000.	J
6.	526-73-8	Benzene, 1,2,3-trimethyl-	0.	2000.	J
7.	5989-27-5	D-Limonene	0.	10000.	J
8.	91-17-8	Naphthalene, decahydro-	0.	2000.	J
9.	1120-21-4	Undecane	0.	2000.	J
10.	- -0	Unknown hydrocarbon	0.	1000.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-SLU-5
Matrix : SOIL
Date Sampled : 8/ 8/91
Date Extracted : 8/13/91
Amount Extracted : 30.0 g
Date Analyzed : 8/26/91
Instrument ID : F3

Anametrix ID : 9108097-05
Analyst : LW
Supervisor : PG

Dilution Factor : 10.00
Conc. Units : ug/Kg

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	40000.	J
2.	- -	UNKNOWN	0.	30000.	J
3.	57-10-3	HEXADECANOIC ACID	0.	300000.	J
4.	- -	UNKNOWN	0.	90000.	J
5.	2091-29-4	9-HEXADECENOIC ACID	0.	100000.	J
6.	- -	UNKNOWN	0.	60000.	J
7.	- -	UNKNOWN	0.	50000.	J
8.	- -	UNKNOWN	0.	60000.	J
9.	- -	UNKNOWN	0.	30000.	J
10.	- -	UNKNOWN	0.	40000.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-EFL-9
Matrix : WATER
Date Sampled : 8/ 8/91
Date Analyzed : 8/21/91
Instrument ID : MSD1

Anametrix ID : 9108097-02
Analyst : MCT
Supervisor : PG

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -0	Unknown	0.	6.	J
2.	3913-02-8	1-Octanol, 2-butyl-	0.	10.	J
3.	622-96-8	Benzene,1-ethyl-4-methyl-	0.	5.	J
4.	- -	Unknown hydrocarbon	0.	7.	J
5.					
6.					
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-EFL-1
Matrix : WATER
Date Sampled : 8/ 8/91
Date Extracted : 8/13/91
Amount Extracted : 860.0 mL
Date Analyzed : 8/26/91
Instrument ID : F3

Anametrix ID : 9108097-04
Analyst : LW
Supervisor : PG

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	20.	J
2.	- -	UNKNOWN	0.	80.	J
3.	112-34-5	ETHANOL, 2-(2-BUTOXYETHOXY)-	0.	300.	J
4.	58-08-2	CAFFEINE ADDED	0.	20.	J
5.	57-10-3	HEXADECANOIC ACID	0.	60.	J
6.	111-03-5	9-OCTADECENOIC ACID (Z)-, 2, ADDED	0.	30.	J
7.	57-11-4	OCTADECANOIC ACID &	0.	60.	J
8.	- -	UNKNOWN	0.	60.	J
9.	- -	UNKNOWN OLEIC ACID	0.	50.	J
10.	- -	UNKNOWN	0.	90.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 624/8240
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-INF-9
Matrix : WATER
Date Sampled : 8/ 8/91
Date Analyzed : 8/21/91
Instrument ID : MSD1

Anametrix ID : 9108097-01
Analyst : MCT
Supervisor : PG

Dilution Factor : 2.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	3913-02-8	1-Octanol,2-butyl-	0.	10.	J
2.	629-50-5	Tridecane	0.	10.	J
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 625/8270
ANAMETRIX, INC. (408)432-8192

TENTATIVELY IDENTIFIED COMPOUNDS

Project ID : 526.01
Sample ID : 91-INF-1
Matrix : WATER
Date Sampled : 8/ 8/91
Date Extracted : 8/13/91
Amount Extracted : 940.0 mL
Date Analyzed : 8/26/91
Instrument ID : F3

Anametrix ID : 9108097-03
Analyst : WW
Supervisor : PG

Dilution Factor : 1.00
Conc. Units : ug/L

	CAS NUMBER	COMPOUND NAME	REPORTING LIMIT	ESTIMATED CONC.	Q
1.	- -	UNKNOWN	0.	50.	J
2.	- -	UNKNOWN ALCOHOL	0.	200.	J
3.	124-17-4	ETHANOL, 2-(2-BUTOXYETHOXY)-	0.	30.	J
4.	143-07-7	DODECANOIC ACID	0.	20.	J
5.	544-63-8	TETRADECANOIC ACID	0.	20.	J
6.	57-10-3	HEXADECANOIC ACID	0.	70.	J
7.	- -	UNKNOWN	0.	80.	J
8.	57-11-4	OCTADECANOIC ACID ADDED	0.	80.	J
9.	- -	UNKNOWN	0.	30.	J
10.	- -	UNKNOWN	0.	40.	J
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.					
24.					
25.					
26.					
27.					
28.					
29.					
30.					